

FOR OFFICIAL USE ONLY  
DECK LOG-TITLE PAGE  
NAVPERS 3100/1 (1-66) (Formerly NAVPERS 716)

S/N-0105-404-1550



# DECK LOG BOOK

OF THE

U.S.S. WADDELL DDG 24

IDENTIFICATION NUMBER

Attached to { THIRTY-TWO Division,  
THREE Squadron,  
ELEVEN Flotilla,  
UNITED STATES PACIFIC SEVENTH Fleet,  
Naval District,

Commencing -9 (1) 0001 1 JANUARY, 19 70,  
(zone time and date)

at U.S. NAVAL FLEET ACTIVITIES YOKOSUKA, JAPAN,  
(location)

and ending -9 (1) 2400 31 JANUARY, 19 70,  
(zone time and date)

at UNDERWAY FROM BUCKNER BAY, OKINAWA TO SUBIC BAY, R.P.  
(location)

Approved by: P.K. Cullins Commanding  
P.K. CULLINS, CDR., USN

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH







NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9(E) DATE Thursday 1 January 19 70  
 (Day) (Date) (Month)  
 AT/PASSAGE FROM UNITED STATES FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u> BY <u>3</u>		
λ <u>139°-40.0'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u> BY <u>3</u>		
λ <u>139°-40.0'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u> BY <u>3</u>		
λ <u>139°-40.0'E</u> BY <u>3</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04

WITH SIX STANDARD MOORING LINES,  
MOORED STARBOARD SIDE TO BERTH THREE  
AMONGST REFRAINS OF AULO LANG SYMB,  
THE CREW ENJOYS THEIR NEW YEAR'S GLEE.

ON BOARD THE STERETT SOPA IS COMDESRON THREE.  
EMBARKED ON WADDELL IS PESDIV THIRTY TWO.  
RUPERTUS, MAHAN, TUCKER, AND MACKENZIE,  
AND EVEN SEVENTH FLEET ARE IN PORT TOO.

FLEETS YOKO SENDS ITS SERVICES FROM THE PIER.  
THE CO, XO, AND COMMODORE ARE ALL ASHORE.  
ALL HANDS ARE USHERING IN THE NEW YEAR  
IN A BRIEF RESPIRE FROM THE OPISED AND WAR.

James P. Moran  
JAMES P. MORAN LTJG USNR

04-08 MOORED AS BEFORE

James P. Moran  
JAMES P. MORAN LTJG USNR

08-12 MOORED AS BEFORE

James P. Moran  
JAMES P. MORAN LTJG USNR

12-16 MOORED AS BEFORE

James P. Moran  
JAMES P. MORAN LTJG USNR

16-20 MOORED AS BEFORE

James P. Moran  
JAMES P. MORAN LTJG USNR

20-24 MOORED AS BEFORE

James P. Moran  
JAMES P. MORAN LTJG USNR

EXAMINED

James P. Moran

U. S. N. NAVIGATOR



140

NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_ DATE \_\_\_\_\_ 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE FRIDAY 2 JANUARY 19 78  
 (Day) (Date) (Month)  
 AT/PASSAGE FROM US FLEET ACTIVITIES, YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35 17.4N</u>	BY <u>3</u>	
<u>139 40.0 E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
<u>λ</u> _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
<u>λ</u> _____	BY _____	

LEGEND: 1. CELESTIAL  
 2. ELECTRONIC  
 3. VISUAL  
 4. D. R.

## REMARKS

~~04-04~~ MOORED STARBOARD SIDE TO BERTH THREE, USFA, YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. RECEIVING VARIOUS SERVICES FROM THE PIER. STEAMING AUXILIARY WITH "1A" BOILER ON THE LINE WITH "1A" AND "1B" SHIP'S SERVICE GENERATORS, SOPA IS COMDESRON THREE EMBARKED IN USS STERRETT (DLG-31). CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. SHIPS PRESENT INCLUDE UNITS FROM THE US SEVENTH FLEET, THE JAPANESE MARITIME SELF-DEFENSE FORCE, AND OTHER SMALL HARBOR CRAFT.

*H.M. Flick, Jr.*  
 H.M. FLICK, JR, LTJG, USN

~~04-08~~ MOORED AS BEFORE.

*H.M. Flick, Jr.*  
 H.M. FLICK, JR, LTJG, USN

~~08-12~~: MOORED AS BEFORE

*C. Pautzke*  
 C. PAUTZKE ENS USNR

~~12-16~~: MOORED AS BEFORE 1545 LIGHT FIRES UNDER "2A" BOILER

*C. Pautzke*  
 C. PAUTZKE ENS USNR

~~16-20~~: MOORED AS BEFORE

*C. Pautzke*  
 C. PAUTZKE ENS USNR

~~20-24~~ MOORED AS BEFORE.

*C. Pautzke*  
 C. PAUTZKE ENS USNR

EXAMINED

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_ 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 20) ZONE DESCRIPTION - 9(I) DATE SATURDAY 3 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM Yokosuka Japan, US Fleet Activities

POSITION	ZONE	TIME
0800		
L <u>35-17.4 N</u>	BY <u>3</u>	
λ <u>139-40.0 E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH THREE, FLEETS, YOKOSUKA, JAPAN. WITH SIX STANDARD MOORING LINES, DOUBLED RECEIVING VARIOUS SERVICES FROM PIER, STEAMING AUXILIARY WITH "2A" BOILER ON LINE, "1A" & "1B" LEVERATORS. SOPA IS UNDESSON THREE EMBARKED USS STERETT (DLG 31). CONDITION OF READINESS IV AND MATERIAL CONDITION YORE ARE SET. SHIPS PRESENT INCLUDE UNITS FROM US SEVENTH FLEET, JAPANESE MARITIME SELF DEFENSE FORCE AND VARIOUS SMALL CRAFT.

C Pautzke  
C PAUTZKE ENS USNR

04-08: MOORED AS BEFORE.

C Pautzke  
C PAUTZKE ENS USNR

08-12: MOORED AS BEFORE

C Pautzke  
C PAUTZKE ENS USNR

12-16: MOORED AS BEFORE

C Pautzke  
C PAUTZKE ENS USNR

16-20: MOORED AS BEFORE

C Pautzke  
C PAUTZKE ENS USNR

20-24 MOORED AS BEFORE

C Pautzke  
C PAUTZKE ENS USNR

EXAMINED

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(7) DATE SUNDAY 4 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM US NAVAL FLEET ACTIVITY, YOKOSUKA, TO JAPAN

POSITION	ZONE	TIME
0800		
L <u>35 17.4N</u>	BY <u>3</u>	
λ <u>139 40.0E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

## REMARKS

06-04 MOORED STARBOARD SIDE TO BERTH THREE, USFA, YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. SOPA IS COMDESRON THREE EMBARKED IN USS STERRETT (DLG-31); COMDESDIV 32 IS EMBARKED IN WADDELL. 1A AND 2A BOILERS AND ALL PUR GENERATORS ARE ON LINE. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKO ARE SET. FRESH WATER IS BEING SUPPLIED FROM THE PIER.

WTSchriever

W.H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE, 0730 MUSTERED THE CREW ON STATION, NO NEW ABSENTEES.

WTSchriever

W.H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE

R.M. Howell

R.M. HOWELL LTJG USNR

12-16 MOORED AS BEFORE

R.M. Howell

R.M. HOWELL LTJG USNR

16-20 MOORED AS BEFORE

R.M. Howell

R.M. HOWELL LTJG USNR

20-24 MOORED AS BEFORE

R.M. Howell

R.M. HOWELL LTJG USNR

EXAMINED

R. J. Zimmer

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED :

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9(1) DATE MONDAY 5 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35 17.4 N</u> BY <u>3</u>		
λ <u>139 40.0 E</u> BY <u>3</u>		

POSITION	ZONE	TIME
1200		
L <u>32 34.5 N</u> BY <u>3</u>		
λ <u>127 29.2 E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>30 56.2 N</u> BY <u>3</u>		
λ <u>130 47.3 E</u> BY <u>3</u>		

LEGEND: 1. CELESTIAL  
2. ELECTRONIC  
3. VISUAL  
4. D. R.

## REMARKS

00-04 MOORED STBD SIDE TO BERTH THREE, USFA YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED SOPA IS COMDESDRON THREE IN USS STERETT (DLG-31) COMDESDIV 32 IS EMBARKED IN WADDELL CONDITION OF READINESS IV AND MATERIAL COND YOKE ARE SET

*R. M. Howell*  
R. M. HOWELL LTJG USNR

04-08 MOORED AS BEFORE

*R. M. Howell*  
R. M. HOWELL LTJG USNR

08-12 MOORED AS BEFORE. 0832 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT OPERATING SCHEDULE FOR SEA TRIALS SOPA AND OTC ARE COMDESDIV 32 EMBARKED THIS SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO DEPART YOKOSUKA HARBOR. 0939 MANEUVERING VARIOUS COURSES AND SPEEDS WHILE CONDUCTING SEA TRIALS

*R. M. Howell*  
R. M. HOWELL LTJG USNR

12-16 UNDERWAY AS BEFORE, MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAKE ANCHORAGE OUTSIDE YOKOSUKA HARBOR. 1231 ANCHORED IN 13 FATHOMS OF WATER, ROCKY BOTTOM, 38 FATHOMS OF CHAIN ON DECK. 1348 CONTINUAL HEAVY STRAIN ON ANCHOR CHAIN, SET SPECIAL SEA AND ANCHOR DETAIL. 1417 UNDERWAY TO TAKE A NEW ANCHORAGE POSITION, MANEUVERING AT VARIOUS COURSES AND SPEEDS. 1443 ANCHORED IN 11 FATHOMS OF WATER, MUD<sup>WTS</sup> BOTTOM, 60 FATHOMS OF CHAIN ON DECK. 1445 SECURED SPECIAL SEA AND ANCHOR DETAIL.

*W. H. Schriever*  
W. H. SCHRIEVER, LTJG, USN

16-20 ANCHORED AS BEFORE. 1610 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1629 ATTEMPTING TO HEAVE AROUND ON THE ANCHOR CHAIN. 1756 UNDERWAY FOR BERTH SEVEN, FLTACTS, YOKOSUKA. MANEUVERING TO CONFORM WITH THE CHANNEL. 1856 MOORED STARBOARD SIDE TO BERTH SEVEN FLTACTS, YOKOSUKA, WITH STANDARD MOORING LINES.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

20-24. MOORED AS BEFORE.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

EXAMINED

*R. S. Evans*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

~~20-24. MOORED AS BEFORE.~~

*[Signature]*

*AK*

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE Tuesday 6 JANUARY 19 69  
(Day) (Date) (Month)  
AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>32-43.5N</u>	BY <u>3</u>	
<u>N 34-31.0E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>33 09.0N</u>	BY <u>3</u>	
<u>λ 135 39.0E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>34 05.0N</u>	BY <u>3</u>	
<u>λ 138 01.5E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

## REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH SEVEN, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN WITH SH STANDARD MOORING LINES. 1A BOILER AND 1A AND 2A GENERATORS ARE ON THE LINE. RECEIVING FRESH WATER FROM THE PIER. SOPA IS COMDESRON THREE EMBARKED USS STERETT (DLG-31). SHIPS PRESENT INCLUDE STERETT, USS MAHAN (DLG-11), USS DIXIE (AD-14) AND OTHER UNITS OF THE U.S. PACIFIC FLEET.

R. S. EVANS, LTJG, USN

04-08 MOORE AS BEFORE.

R. S. EVANS, LTJG, USN

08-12 MOORED AS BEFORE.

JAMES D. MORAN, LTJG, USN

12-16 MOORED AS BEFORE.

JAMES D. MORAN, LTJG, USN

16-20 MOORED AS BEFORE.

JAMES D. MORAN, LTJG, USN

20-24 MOORED AS BEFORE.

JAMES D. MORAN, LTJG, USN

EXAMINED

R. S. EVANS

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWORTH DDG-24 ZONE DESCRIPTION -9I DATE WEDNESDAY 7 JANUARY 19 69  
(Day) (Date) (Month)AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35 17.4 N</u>	BY <u>3</u>	
<u>N 39 40.0 E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
$\lambda$ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
$\lambda$ _____	BY _____	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

~~00-04~~ MOORED STARBOARD SIDE TO BERTH SEVEN (#7) U.S. NAVAL FLEET ACTIVITIES YOKOSUKA, JAPAN WITH SIX (6) STANDARD MOORING LINES. RECEIVING VARIOUS SERVICES FROM THE PIER. SOPA IS COMMISSIONED THREE EMBARKED IN USS STERETT (DLG-11). SHIPS PRESENT INCLUDE USS MAHAN (DLG-11), USS RUPERTUS (DDPSV), USS DIXIE (AP-14) VARIOUS OTHER UNITS OF THE PACIFIC FLEET AND JAPANESE MARITIME DEFENSE FORCE. CONDITION YOKO IS SET THROUGHOUT THE SHIP.

James P. Moran  
James P. Moran LTJG USN

~~04-08~~ MOORED AS BEFORE.

James P. Moran  
James P. Moran LTJG USN

~~08-12~~ MOORED AS BEFORE.

H.M. Flick, JR.  
H.M. FLICK, JR, LTJG, USN

~~12-16~~ MOORED AS BEFORE.

H.M. Flick, JR.  
H.M. FLICK, JR, LTJG, USN

~~16-20~~ MOORED AS BEFORE.

H.M. Flick, JR.  
H.M. FLICK, JR, LTJG, USN

~~20-24~~ MOORED AS BEFORE.

H.M. Flick, JR.  
H.M. FLICK, JR, LTJG, USN

EXAMINED

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE THURSDAY 8 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM US NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35 17.4 N</u>	BY <u>3</u>	
λ <u>139 40.6</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1. CELESTIAL
2. ELECTRONIC
3. VISUAL
4. D. R.

## REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO BERTH SEVEN, US NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN, WITH SIX STANDARD MOORING LINES DOUBLED. RECEIVING VARIOUS SERVICES FROM THE PIER. THE ENGINEERING PLANT IS IN AN AUXILIARY STATUS WITH "2 B" BOILER AND "2A" AND "2B" SHIP'S SERVICE GENERATORS ON THE LINE. SOPA IS COMDESRON THREE EMBARKED USS STERRETT (DLG-31). CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US SEVENTH FLEET, VARIOUS UNITS OF THE JAPANESE MARITIME SELF-DEFENSE FORCE, AND OTHER SMALL HARBOR CRAFT.

*H.M. Flick, Jr.*  
H.M. FLICK, JR., LTJG, USN

Φ4-Φ8 MOORED AS BEFORE

*H.M. Flick, Jr.*  
H.M. FLICK, JR., LTJG, USN

Φ8-12 MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR

12-16 MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR

16-20 MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR

20-24 MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR

EXAMINED

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION (-9I) DATE FRIDAY <sup>WB</sup> 9 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO OPERATION AREA, OKINAWA

POSITION	ZONE	TIME
0800		
L <u>35-17.4N</u>	BY <u>3</u>	
λ <u>139-40.0E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

## REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH 7, US FLEETS, YOKOSUKA JAPAN, SIX STANDARD LINES DOUBLED. RECEIVING VARIOUS SERVICES FROM PIER. "20" BOILER, "2A" & "2B" GENERATORS ARE ON TIE LINE. SDPA IS COMPRESSION THREE EMERGED USS STERETT (DLG 31). CONDITION OF READINESS ID AND MATERIAL CONDITION YORE ARE SET. OTHER SHIPS PRESENT INCLUDE US NAVAL UNITS, JAPANESE MARITIME SELF DEFENSE FORCE UNITS AND SMALL CRAFT.

C. Pautzke

C. PAUTZKE ENS USNR

04-08. MOORED AS BEFORE

C. Pautzke

C. PAUTZKE ENS USNR

08-12 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

12-16 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

16-20 MOORED AS BEFORE. 1632 SET SPECIAL SEA AND ANCHOR 1658 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE ENROUTE TO OKINAWA OPERATION AREA. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE STANDING OUT OF YOKOSUKA AND TOKYO BAY. 1732 PASSED FORT NO. 2 LIGHT TO PORT. 1745 ~~BY~~ PASSED KANNON SAKI LIGHT ABEAM TO STARBOARD. 1826 SECURED SPECIAL SEA AND ANCHOR DETAIL. 1843 C/S 5 KTS C/C 295° 1920 C/S 3 KTS 1925 C/S 25 KTS C/C 213° 1927 C/C 215° 1932 C/C 222° 1943 C/C 210° 1957 C/S 20 KTS C/C 230° 1959 C/C 213° C/S 25 KTS.

Robert L. Crowell

Robert L. CROWELL LT USNR

EXAMINED

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE SATURDAY 9 JANUARY 19 70  
(Day) (Date) (Month)

REMARKS-CONTINUED

2000-2400 STEAMING AS BEFORE. TIME 2134 °C 228

*P.B. Hatch*

P.B. HATCH LTJG USN

EXAMINED:

*P. B. Hatch*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION 9I DATE SATURDAY 10 JAN 19 70  
 (Day) (Date) (Month)  
 AT/PASSAGE FROM YOKOSUKA, JAPAN TO OP AREA OKINAWA JIMA

POSITION	ZONE	TIME
0800		
L <u>35 18.1 N</u>	BY <u>3</u>	
$\lambda$ <u>139 44.0 E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35 19.2 N</u>	BY <u>3</u>	
$\lambda$ <u>139 47.0 E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35 18.0 N</u>	BY <u>3</u>	
$\lambda$ <u>139 48 E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
 2-ELECTRONIC  
 3-VISUAL  
 4-D. R.

## REMARKS

~~00-04~~ UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLEET QUARTERLY EMPLOYMENT SCHEDULE. STEAMING IN THE PHILIPPINE SEA ENROUTE TO OPERATIONS AREA, OKINAWA FROM YOKOSUKA, JAPAN. PRESENTLY STEAMING AT 25 KTS, BASE COURSE IS 228° PC. ENGINEERING PLANT IS SPLIT WITH 18, 2A BOILERS AND ALL FOUR GENERATORS ON THE LINE. MATERIAL CONDITION YOK AND CONDITION OF READINESS IV ARE SET THROUGHOUT THE SHIP. SOPA AND OTC ARE THE COMMANDING OFFICER THIS SHIP. THE SHIP IS COMPLETELY DARKENED WITH THE EXCEPTION OF BRIGHT NAVIGATIONAL LIGHTS.

*Hugh M. Flick, Jr.*  
 HUGH M. FLICK, JR., LTJG, USN

~~04-08~~ UNDERWAY AS BEFORE.

*W.H. Schriever*  
 W.H. SCHRIEVER, LTJG, USN

~~08-12~~ UNDERWAY AS BEFORE. ~~0800~~ MUSTERED THE CREW ON STATION. NO ABSENTEES

*Robert L. Crowell*  
 ROBERT L. CROWELL  
 LT USNR

~~12-16~~ UNDERWAY AS BEFORE

*P.B. Hatch*  
 P.B. HATCH, LT (JG), USNR

~~16-18~~ UNDERWAY AS BEFORE

*H.M. Flick, Jr.*  
 H.M. FLICK, JR., LTJG, USN

~~18-20~~ UNDERWAY AS BEFORE. 1823  $\angle$  240. 1828  $\angle$  245. 1830  $\angle$  22 KTS. 1835  $\angle$  240. 1839  $\angle$  235. 1841 RESUMED BASE COURSE 228.

*W.H. Schriever*  
 W.H. SCHRIEVER, LTJG, USN

EXAMINED

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE SATURDAY 10 JANUARY, 1970  
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE. 2000 C/S 18 KTS

*Robert L. Crowell*  
Robert L. Crowell  
LT USNR

EXAMINED:

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24) ZONE DESCRIPTION -9(I) DATE SUNDAY 11 JANUARY, 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO OP-AREA OKINAWA JIMA

POSITION	ZONE	TIME
0800		
L <u>26 12.0N</u>	BY <u>3</u>	
λ <u>128 25E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>26 12.5N</u>	BY <u>2</u>	
λ <u>128 29.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>26 21.0N</u>	BY <u>2</u>	
λ <u>128 53.5E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTH FLEET QUARTERLY EMPLOYMENT SCHEDULE. STEAMING IN THE PHILIPPINE SEA ENROUTE TO OKINAWA JIMA OPERATIONS AREA FROM YOKOSUKA JAPAN INDEPENDENTLY. ENGINEERING PLANT IS SPLIT 2A AND 1B BOILERS AND 1A, 1B, 2A AND 2B GENERATORS ON THE LINE. MATERIAL CONDITION YOKE AND CONDITION OF READINESS FOUR ARE SET. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. SHIP IS DARKENED EXCEPT FOR NORMAL NAVIGATIONAL LIGHTS. BASE COURSE 228°(T) BASE SPEED 18 KNOTS.

*P. B. Hatch*  
P.B. HATCH LTJG, USNR

04-08 UNDERWAY AS BEFORE. 0505 C/C 215°. 0517 C/C 210°. 0624 C/C 5 KT. C/C 080°.

*H. M. Flick, Jr.*  
H. M. FLICK, JR, LTJG, USN

08-12 UNDERWAY AS BEFORE. 0718 C/C 265°. 0747 C/C 070°. 0813 C/C 7 KTS. 1042 C/C 245°. 1054 C/C 15 KTS

*W. H. Schriever*  
W. H. SCHRIEVER, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1234 C/C 305°. 1239 C/C 325°. 1250 C/C 340°. 1257 C/C 070°. C/S 5 KTS. 1453 C/C 210°. 1510 C/C 267°. C/S 10 KTS. 1532 C/S 20 KTS

*R. H. Crowell*  
R. H. CROWELL LT USNR

16-18 UNDERWAY AS BEFORE. 1603 C/S 22 KTS. 1611 C/C 265°. 1613 C/S 25 KTS. 1620 C/C 270°. 1623 SIGHTED OKINAWA HARBOR ENTRANCE, 8 mi. 1627 C/C 267°. 1635 C/C 265°. 1638 PASSED PORT SIDE TO SEA BUOY "BB". 1639 C/C 266°. C/S 20 KTS. 1642 C/C 15 KTS. C/C 335°. 1643 PASSED STARBOARD SIDE TO RIGHT CHANNEL BUOY. 1652 C/S 10 KTS. 1653 C/C 340°. C/S 5 KTS. 1657. ALL STOP. 999 RPM. GERM MANEUVERING. 1710. P/E A/1/2. P/E STOP. R/30° RUDDER. 1711 P/E A/1/2. 1712 S/B 1/2. A/E A/1/2. 1713 A/E A/1/2. 1714 C/C 081°. 1718 A/E STOP. 1719 C/C 019°. TWO PUSHER BOATS ALONGSIDE ONE FWD, ONE AFT, STBD SIDE TO. 1720 C/C 018°. C/S A/E A/1/2. 1721 C/C 017°. A/E STOP. 1722 L/100° RUDDER. R/AMIDSHIPS. R/10° RUDDER. R/AMIDSHIPS S/E B/1/2. R/10° RUDDER. 1723. S/E STOP. R/AMIDSHIPS S/E B/1/2. R/20° RUDDER. R/AMIDSHIPS. A/E STOP. 1724. 4/20° RUDDER. S/E BACK 1/2. P/E A/1/2. P/E STOP. R/30° RUDDER. 1725 R/AMIDSHIPS. L/20° RUDDER. A/1/2 STOP. S/E A/1/2. 1726 R/AMIDSHIPS. R/20° RUDDER. R/30° RUDDER. 1727. S/E B/1/2. P/E A/1/2. R/AMIDSHIPS. L/20° RUDDER. A/E STOP. 1727 MOORED PORT SIDE TO U.S. NAVY FUEL PIER, BUCKNER BAY, OKINAWA WITH STANDARD MOORING LINES

EXAMINED

*R. H. Crowell*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE SUNDAY 11 JANUARY 1970  
(Day) (Date) (Month)

## REMARKS-CONTINUED

16-18 (CONT) 1727 A/E STOP P/E B  $\frac{1}{3}$  1728 P/E A  $\frac{1}{3}$  1729 A/E STOP. 1729  $\frac{3}{4}$  B  $\frac{1}{3}$  A/E STOP. P/E B  $\frac{1}{3}$  1730 A/E STOP. 1741 SECURED STEERING MOTORS. 1745. SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

*P. B. Hatch*  
P. B. HATCH LT(jg) USN

18-20 MOORED AS BEFORE.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

20-24 MOORED AS BEFORE

*R. S. Evans*  
R. S. EVANS, LTJG, USN

EXAMINED:

*A. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE Monday 12 JANUARY 19 70  
 (Day) (Date) (Month)  
 AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	

POSITION	ZONE	TIME
1200		
L <u>26 21.0N</u>	BY <u>2</u>	
λ <u>128 53.5E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>25 41.3N</u>	BY <u>2</u>	
λ <u>128 20.0E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
 2-ELECTRONIC  
 3-VISUAL  
 4-D. R.

## REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO NEW NAVY PIER, WHITE BEACH, BUCKNER BAY OKINAWA WITH SIX STANDARD MOORING LINES. 1A BOILER AND 1A AND 1B GENERATORS ARE SUPPLYING AUXILIARY POWER. SOPA IS COMMANDING OFFICER THIS SHIP.

*R. S. Evans*  
 R. S. EVANS, LTJG, USN

Φ4-Φ8 MOORED AS BEFORE. Φ50Φ FIRES LIT IN 2A BOILER, Φ73Φ UNDERWAY, MANEUVERING TO CONFORM WITH BUCKNER BAY.

*R. S. Evans*  
 R. S. EVANS, LTJG, USN

Φ8-12 UNDERWAY AS BEFORE. Φ803 C/C TO 090°T. Φ806 C/C Φ95°T, C/S TO 18 KTS. Φ808 C/C TO Φ90°T. Φ809 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. Φ922 C/S 5 KTS. Φ927 C/C Φ17°T, C/S 15 KTS. Φ932 C/C Φ07°T. Φ954 C/S 14 KTS, C/C TO Φ8°T. 1115 WHILE PUTTING DETERGENT IN DISH WASHING MACHINE, JURGENSEN, JOHN R., B63 40 3'4, RMSA, SUFFERED 2° BURNS OF THE BUTTOCKS (BOTH), LEFT HIP, LEFT FOREARM. TREATMENT ADMINISTERED BY MEDICAL CORPSMAN. DISPOSITION OF PATIENT: TO LIGHT DUTY.

*H. M. Flick*  
 H. M. FLICK, JR, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1302 C/S 18 KTS. 1335 COMMENCED EXERCISE Z-13-6M. 1402 C/S 5 KTS. 1406 C/S 7 KTS. 1414 SECURED FROM EXERCISE Z-13-6M. 1415 C/S 10 KTS. 1415 C/C 270°T 1427 C/S 20 KTS. 1430 COMMENCED Z-7-6M

EXAMINED

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE MON 12 JAN 19 70  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 CONT - TRACKING DRILL. 1440 c/c 180° 1453 % 5 KTS  
 1516 SET GENERAL QUARTERS AND MATERIAL CONDITION ZEBRA  
 1530 % 20 KTS c/c 295° 1552 % 270° 1620 COMMENCED FIRING  
 3-10 AA GUNNERY EXERCISE 1637 % 225° % 25 KTS  
 1659 SECURED FROM FIRING ROUNDS EXPENDED 37 5" 54 CAL HIGH  
 EXPLOSIVE ROUNDS 1705 SECURED FROM GENERAL QUARTERS AND  
 SET MATERIAL CONDITION YOKE.

W. Schriever

W. H. SCHRIEVER, LTJG, USN

16-18 UNDERWAY AS BEFORE. 1707 c/s 20 KTS. c/s 27 KTS. 1719 MAIN CONTROL REPORTS NECESSITY  
 TO SLOW TO 25 KTS. 1720 c/s 20 KTS. MAIN CONTROL REPORTS / USING WATER IN 2B BOILER.  
 1725 c/s 27 KTS. CASUALTY REPAIRED, FULL ENGINEERING CAPABILITY AVAILABLE

Robert H. Crowell

Robert H. Crowell LT USNR

18-20 UNDERWAY AS BEFORE. 1800 TURNED ON NORMAL NAVIGATION LIGHTS. 1829 SIGHTED  
 SUBMARINE AT 240° c/c 242° 1832 c/c 225° 1835 c/c 270° 1837 c/c 275°  
 1841 c/c 000° c/s 10 KTS. 1842 c/s 4 KTS. SET THE ASW TRACKING TEAM. 1844 c/c 000°  
 1845 COMMENCED BLOWING TUBES. 1846 c/c 010°. ALL STOP. 1849 c/c 045°.  
 1852 DC CENTRAL REPORTS ALL SECURE. 1900 COMEX Z-1-V, ASW EXERCISE, A/E 1/3  
 c/s 3 KTS. 1906 c/c 080°, 1909 c/c 045°, 1910 c/s 3.5 KTS. 1912 c/s 4 KTS.  
 1915 c/s 3 KTS. 1917 c/c 030° 1939 c/c 045° 1944 c/s 8 KTS.

P. B. Hatch

P. B. HATCH LT(jg) USNR

20-24 UNDERWAY AS BEFORE. MANEUVERING ON VARIOUS COURSES AND  
 SPEEDS WHILE CONDUCTING ASW EXERCISES WITH USS VOLADOR.

D. Zimmer

DEZIMMER LTJG USNR

EXAMINED:

D. Zimmer

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE Tuesday 13 JANUARY 1970  
(Day) (Date) (Month)  
AT/PASSAGE FROM OKINAWA OPERATING AREA TO BUCKNER Bay, OKINAWA

POSITION	ZONE	TIME
0800		
L <u>26-13.0N</u>	BY <u>2</u>	
<u>128-22E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>26 04.5N</u>	BY <u>2</u>	
<u>128 27.2E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>25 29.6N</u>	BY <u>2</u>	
<u>128 38.9E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE EXERCISING IN THE OKINAWA OPERATING AREA. SOLA AND DTC IS COMMANDING OFFICER THIS SHIP. THE SHIP IS OPERATING WITH USS VOLADOR (SS-490), A UNIT OF TG 72.2. MATERIAL CONDITION YAKE AND CONDITION OF READINESS III ARE SET THROUGHOUT THE SHIP. 1B AND 2A BOILERS AND ALL FOUR GENERATORS ARE IN THE LINE, PLANT #1. THE SHIP IS DARKENED WITH THE EXCEPTION OF BRIGIT NAVIGATION LIGHTS AND FLASHING AS W GRIMES LIGHT. THE SHIP IS MANEUVERING AT VARIOUS COURSES AT 15 KTS. 1014Z C/C 000 C/S 8 KTS, SECURED FROM AS W EXERCISE. SHIP IS PROCEEDING INDEPENDENTLY TO PERFORM WITH BQM FOR MISSILE SHOOT. 1156 C/C 184 0200 C/C 030 0218 C/C 044.

*D.F. Zimmer*  
D.F. ZIMMER LTJG USNR

04-08 UNDERWAY AS BEFORE. 0543 C/C 050 C/S 3 KTS.

*Robert L. Crowell*  
ROBERT L. CROWELL LT USNR

08-12 UNDERWAY AS BEFORE. 0747 C/C 055° C/S 5 KTS. 0807 C/C 000° 0830 ONE PRONE WAS LAUNCHED AS A MISSILE TARGET 0832 C/C 300 0910 FIRED ONE TARTAR MISSILE, RIM 66A 0911 C/S 25 KTS. 0912 C/C 120° 0919 C/S 20 KTS. C/C 150° 0925 C/C 100° 0926 C/C 090 0933 C/C 070 0940 C/S 5 KTS. C/C 100° 0941 C/C 000° 0945 LIT FIRES UNDER 2B BOILER. 0956 A PRONE WAS LAUNCHED AS A MISSILE TARGET. 1011 FIRED ONE TARTAR MISSILE, RIM 66A. 1015 C/C 260° C/S 20 KTS. 1019 C/S 25 KTS. 1024 C/S 20 KTS. 1055 SECURED FROM BLOWING TUBES. 1056 C/C 240° 1104 C/C 237° 1127 C/C 270° 1129 C/C 262° 1130 C/C 260° 1140 C/C 270° C/C 340. PASSED STABBOARD SIDE II RIGHT CHANNEL BAY. 1142 C/S 15 KTS 1145 C/C 235°. SET THE SPECIAL SEA AND ANCHOR DETAIL.

*P. B. Hatch*  
P. B. HATCH, LTJG, USNR

12-16 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO ENTER BUCKNER BAY, OKINAWA. 1211 MOORED PORT SIDE TO OKINAWA FUEL PIER, BUCKNER BAY, OKINAWA, WITH SIX STANDARD MOORING LINES DOUBLED. 1225 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. COMMENCED RECEIVING FUEL AND WATER FROM THE PIER. 1430 SECURED FROM RECEIVING FUEL.

*H.M. Flick, Jr.*  
H.M. FLICK, JR., LTJG, USN

16-20 MOORED AS BEFORE.

*H.M. Flick, Jr.*  
H.M. FLICK, JR., LTJG, USN

EXAMINED

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG 24

DATE TUES 13 JAN 1970  
(Day) (Date) (Month)

REMARKS—CONTINUED

20-24 MOORED AS BEFORE.

H.M. Flick, Jr.  
H.M. FLICK, JR., LTJG, USN

EXAMINED:

R. Zimmer

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 I DATE WEDNESDAY 19 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM BUCKNER BAY, OKINAWA TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>25 29.6N</u>	BY <u>2</u>	
λ <u>128 39.6E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>26°-04.5'N</u>	BY <u>2</u>	
λ <u>128°-27.2'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>25 29.6N</u>	BY <u>2</u>	
λ <u>128 39.6E</u>	BY <u>2</u>	

LEGEND: 1. CELESTIAL  
2. ELECTRONIC  
3. VISUAL  
4. D. R.

## REMARKS

00-04 MOORED PORT SIDE TO NEW NAVY PIER BUCKNER BAY, OKINAWA WITH SIX STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER FROM THE PIER. ENGINEERING PLANT IS IN AN AUXILIARY STATUS WITH "2B" BOILER ON THE LINE AND "2A" AND "2B" SHIP'S SERVICE GENERATORS ON THE LINE. SOPA IS COMMANDING OFFICER THIS SHIP. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. SHIP'S PRESENT INCLUDE US MERCHANT VESSELS AND VARIOUS SMALL HARBOR CRAFT.

*H.M. Flick, Jr.*  
H.M. FLICK, JR, LTJG, USN

04-08 MOORED AS BEFORE. 0632 "1A" BOILER BROUGHT ON THE LINE. 0730 SET THE SPECIAL SEA AND ANCHOR DETAIL.

*H.M. Flick, Jr.*  
H.M. FLICK, JR, LTJG, USN

08-12 MOORED AS BEFORE 0802 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE, ENROUTE TO OKINAWA OPERATIONS AREA. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE STANDING OUT OF BUCKNER BAY. 0838 SECURED SPECIAL SEA AND ANCHOR DETAIL 0839 C/L 090° 0841 10 KTS 1130 C/L 205° 1145 C/L 196 C/S 15 KTS

*R.L. Dalberg*  
R.L. DALBERG LCDR USN

12-16

12-16 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH THE USS SAILFISH (SS-572) FOR ANTI-SUBMARINE OPERATIONS. 1423 ASSUMED CONTROL OF THE SAILFISH. 1431 SET GENERAL QUARTERS AND MATERIAL CONDITION ZEBRA. 1444 FIRED ONE EXERCISE CONFIGURED ROCKET THROWN TORPEDO TO PORT. 1515 LOWERED THE MOTOR WHALEBOAT FOR TORPEDO RECOVER. 1558 EXERCISE TORPEDO RECOVERED. 1603 MOTOR WHALEBOAT RECOVERED. 1607 SET THE ASW ATTACK TEAM SECTION ONE. RESUMING OPERATIONS WITH SAILFISH. MANEUVERING

EXAMINED

*R. J. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24DATE WED 14 JAN 19 70  
(Day) (Date) (Month)

## REMARKS-CONTINUED

ON VARIOUS COURSES AND SPEED WHILE CONDUCTING ASW EXERCISES.R. Zimmer  
DE JIMMER LTJG USNR16-18 UNDERWAY AS BEFORE, CONDUCTING ASW EXERCISESR. Zimmer  
DE JIMMER LTJG USNR18-20 UNDERWAY AS BEFORE, CONDUCTING ASW EXERCISES.R. Zimmer  
DE JIMMER LTJG USNR20-24 UNDERWAY AS BEFORE, CONDUCTING ASW EXERCISESR. Zimmer  
DE JIMMER LTJG USNR

EXAMINED:

R. Zimmer

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE THURSDAY 15 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM ASW OP AREA OKINAWA TO

POSITION	ZONE	TIME
0800		
L <u>25°-40.6'N</u>	BY <u>2</u>	
λ <u>128°-24.5'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>25°-40.8'N</u>	BY <u>2</u>	
λ <u>128°-19.5'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>27°-28.0'N</u>	BY <u>2</u>	
λ <u>130°-37.8'E</u>	BY <u>2</u>	

LEGEND: 1. CELESTIAL  
2. ELECTRONIC  
3. VISUAL  
4. D. R.

## REMARKS

08-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE EXERCISING IN OKINAWA OPERATING AREA IN COMPANY WITH SS SAILFISH (SS-572). SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. MATERIAL CONDITION YOKE AND CONDITION OF READINESS III ARE SET. THE SHIP IS DARKENED WITH THE EXCEPTION OF NORMAL NAVIGATIONAL LIGHTS AND GRIMES LIGHT. 1A AND 2B BOILERS ARE ON THE LINE AND 1A, 1B, 2A, AND 2B SHIP'S SERVICE GENERATORS ARE ON THE LINE. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING ASW EXERCISES. 0827 SECURED GRIMES LIGHT. SAILFISH ON SURFACE. BASE COURSE 090°. BASE SPEED 3 KT.

*P.B. Hatch*  
P.B. HATCH, LTJG, USNR

04-08 UNDERWAY AS BEFORE. MANEUVERING AT VARIOUS COURSES AND SPEEDS WHILE CONDUCTING ASW EXERCISES. BASE COURSE 090°. BASE SPEED 3 KT. 0358 1/2 BASE COURSE 270°. MANEUVERING WITH SLIGHT COURSE AND SPEED CHANGES TO MAINTAIN STATION 4000 yds OFF THE STARBOARD BEAM OF THE USS SAILFISH (SS-572).

*H.M. Flick, Jr.*  
H.M. FLICK, JR., LTJG, USN

08-12 UNDERWAY AS BEFORE. 0748 SET CONDITION IAS. MANEUVERING AT VARIOUS COURSES AND SPEEDS IN PREPARATION FOR ASW EXERCISES. 0832 COMEX Z-16-U ASW TORPEDO FIRING. 0833 COMMENCED TURN COUNT MASKING RANDOMLY. 0903 FIRED 1 TORPEDO. 0906 SECURED FROM TURN COUNT MASKING. 1022 SECURED FROM CONDITION IAS, CONDITION IV UNDERWAY WATCH SET. 1147 FINEX Z-16-U TORPEDO FIRING EXERCISE, 1/2 045, 1/3 20 KTS.

*W.H. Schriever*  
W.H. SCHRIEVER, LTJG, USN

EXAMINED

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24)

DATE THURSDAY 15 JANUARY 1970  
(Day) (Date) (Month)

## REMARKS—CONTINUED

12-16 UNDERWAY AS BEFORE. 1237 c/c  $\phi 40^{\circ}$  1252 c/c  $\phi 45^{\circ}$   
1300 c/c  $\phi 70^{\circ}$  1309 c/c  $\phi 50^{\circ}$  1332 c/c  $\phi 45^{\circ}$

*R.C. Dalber*  
R.C. DALBERG, LCDR, USN

16-18 UNDERWAY AS BEFORE 1735 CHANGE BASE SPEED TO 21 KNOTS.

*P. B. Hatch*  
P.B. HATCH, LT(jg), USNR

18-20 UNDERWAY AS BEFORE

*H.M. Flick, Jr.*  
H.M. FLICK, JR., LTJG, USN

20-24 UNDERWAY AS BEFORE.

*W.H. Schriever*  
W.H. SCHRIEVER, LTJG, USN

EXAMINED:

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9 I DATE Friday 16 JANUARY 19 70  
(Day) (Date) (Month)

AT/PASSAGE FROM OKINAWA OP AREA TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>30°-14.0'N</u>	BY <u>2</u>	
λ <u>133°-55.0'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>31°-17.0'N</u>	BY <u>2</u>	
λ <u>134°-37.4'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>33°-10.8'N</u>	BY <u>2</u>	
λ <u>137°-23.6'E</u>	BY <u>2</u>	

LEGEND: 1. CELESTIAL  
2. ELECTRONIC  
3. VISUAL  
4. D. R.

## REMARKS

00-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE. STEAMING INDEPENDENTLY AS A UNIT OF TASK GROUP 70.8 ENROUTE FROM OKINAWA OPERATIONS AREA TO YOKOSUKA, JAPAN. SOPA AND OTC IS COMMANDING OFFICER WADDELL. BASE COURSE IS 045°, BASE SPEED IS 21 KTS. THE ENGINEERING PLANT IS SPLIT WITH 1B, 2B BOILERS AND ALL FOUR SHIP'S SERVICE GENERATORS ON THE LINE. CONDITION OF READINESS A IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. THE SHIP IS DARKENED EXCEPT FOR BRIGHT NAVIGATION LIGHTS. 0015 FZ ALARM INITIATED. 0016 SABOTAGE ALERT TEAM SET. CAUSE OF ALARM DETERMINED TO BE SOMEONE FALLING AGAINST LAUNCHER CONTROL DOOR. NO INDICATIONS OF INTRUSION.

*A. L. Crowell*  
A. L. CROWELL LT USNR

04-08 UNDERWAY AS BEFORE

*Paul B Hatch*  
P.B. HATCH Lt(jg), USNR

08-12 UNDERWAY AS BEFORE. 0831 C/G 340°. 0905 C/G 20 KTS. 0920 C/G 045°. 0921 C/G 21 KTS. 0935 C/G 22 KTS. 0945 C/G 040°. 0957 C/G 048°.

*H. M. Flick*  
H. M. FLICK, JR, LTJG, USN

12-16 UNDERWAY AS BEFORE.

*W. H. Schriever*  
W. H. SCHRIEVER, LTJG, USN

16-18 UNDERWAY AS BEFORE. 1700 FZ ALARM INITIATED. SABOTAGE ALERT TEAM SET. CAUSE OF ALARM DETERMINED TO BE SOMEONE FALLING AGAINST LAUNCHER CONTROL STATION DOOR DURING A ROLL. NO INDICATIONS OF INTRUSION. 1718 VISIBILITY REDUCED TO 1 MILE, COMMENCED SOUNDING FOG SIGNALS. 1725 VISIBILITY INCREASED, SECURED FROM SOUNDING FOG SIGNALS.

*A. L. Crowell*  
A. L. CROWELL LT USNR

EXAMINED

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG 24)DATE FRIDAY 16 JANUARY 1974  
(Day) (Date) (Month)

## REMARKS-CONTINUED

10-24 UNDERWAY AS BEFOREP. B. HATCHP. B. HATCH, LT(jg) USN24-24 UNDERWAY AS BEFORE. 1955 9S 18 KTS. 2446 9C 458.° 2058  
9C 448°H. M. FLICKH. M. FLICK, LT(jg) USN

EXAMINED:

R. Zimmer

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9(I) DATE SATURDAY 17 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM OP AREA, OKINAWA TO U.S. FLEETS, YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

04-04 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY IN TRANSIT FROM OKINAWA TO YOKOSUKA, JAPAN. SOPA AND OTC IS CO THIS SHIP. 1B AND 2B BOILERS, ALL FOUR GENERATORS ARE ON LINE, PLANT SPLIT. BASE COURSE IS 035°T AT 18 KTS. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET THROUGHOUT THE SHIP. 0606 1/2 034. 0618 1/2 16 KTS. 0620 1/2 037. 0643 1/2 15 KTS. 0630 1/2 034. 0650 1/2 040.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

04-08 UNDERWAY AS BEFORE. 0405 1/2 TO 030°T. 0408 1/2 TO 14 KTS. 0417 PASSED ICAZAHAYA ZAKI LIGHT ABEAM TO STD RANGE 2.8 miles. 0515 SIGHTED TSURUGI SAKI LIGHT. 0631 1/2 TO 018°T. 0652 1/2 TO 10 KTS. 0728 PASSED MIDCHANNEL BOUY NO. 3 TO PORT 500 YDS. 0732 PASSED BOUY 3A TO PORT 500 YARDS. 0732 1/2 TO 15 KTS 1/2 TO 287°T. 0736 PASSED BOUY NO 4 TO STD 500 YDS. SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ARE ON THE BRIDGE. 0751 1/2 TO 5 KTS. COMMENCED TWINNING SHIP TO HEAD INTO ANCHORAGE NO. 12

*R. L. Crowell*  
R. L. CROWELL, LTJG, USN

08-12  
~~12-16~~ UNDERWAY AS BEFORE. 0758 ANCHORED IN ANCHORAGE NO. 12, YOKOSUKA JAPAN, IN 130 FT OF WATER WITH A MUD BOTTOM. 60 FATHOMS OF CHAIN TO THE PORT ANCHOR.

*R. S. Evans*

R. S. EVANS, LTJG, USN

12-16 ANCHORED AS BEFORE. 1415 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1432 ~~UNDERWAY~~ UNDERWAY FOR BERTH TWO, U.S. NAVAL FLEET ACTIVITIES YOKOSUKA, JAPAN. MANEUVERING TO CONFORM WITH THE HARBOR. 1503 MOORED PORT SIDE TO BERTH TWO, FLEETS, YOKOSUKA, WITH STANDARD MOORING LINES. SOPA IS COM MINELOT ONE EMBARKED USS CATSKILL (MCS 1).

*R. S. Evans*

R. S. EVANS, LTJG, USN

16-20 MOORED AS BEFORE.

*R. S. Evans*

R. S. EVANS, LTJG, USN

EXAMINED

*R. S. Evans*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE SAT 17 JAN 1970  
(Day) (Date) (Month)

## REMARKS-CONTINUED

20-24 MOORED AS BEFORE.

*R.S. Evans*

R.S. EVANS, LTJG, USN

EXAMINED:

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE SUNDAY 18 JAN 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH - 2 U.S. FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED STARBOARD SIDE TO , BERTH TWO , FLEET ACTIVITIES ,  
YOKOSUKA , JAPAN , WITH SIX STANDARD MOORING LINES , 1A BOILER AND  
1A AND 1B GENERATORS ARE SUPPLYING AUXILIARY POWER . RECEIVING  
FRESH WATER FROM THE PIER . SOPA IS COMMINEFLOT ONE  
EMBARKED USS CATSKILL (MCS-1) .

*R. S. Evans*  
R. S. EVANS, LTJG, USN

04-08 MOORED AS BEFORE.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

08-12 MOORED AS BEFORE.

*T. F. Warner*  
T. F. WARNER, LTJG, USNR

12-16 MOORED AS BEFORE.

*T. F. Warner*  
T. F. WARNER, LTJG, USNR

16-20 MOORED AS BEFORE.

*T. F. Warner*  
T. F. WARNER, LTJG, USNR

20-24 MOORED AS BEFORE.

*T. F. Warner*  
T. F. WARNER, LTJG, USNR

EXAMINED

*T. F. Warner*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDALL (DDG-29) ZONE DESCRIPTION -91 DATE Monday 19 Jan 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM BERTH #2, US FLEET ACTIVITIES TO Yokosuka, Japan

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

04-04 MOORED PORT SIDE TO BERTH #2, US FLEET ACTIVITIES, YOKOSUKA, JAPAN, USING SIX STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION VOICE AND CONDITION OF READINESS IV ARE SET. 1B BOILER AND 1A, 1B SHIP'S SERVICE GENERATORS ARE ON THE LINE. SOPA IS COMMINEFLOT 1 EMBARKED IN THE USS CATSKILL (MCS-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US SEVENTH FLEET, HARBOR AND YARD CRAFT, UNITS OF THE JAPANESE SELF-DEFENSE FORCE AND MERCHANTMEN OF THE WORLD.

*T.F. Warner*  
T.F. WARNER, LTJG, USNR

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS. ABSENTS: NONE.

*T.F. Warner*  
T.F. WARNER, LTJG, USNR

08-12 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL ENS USNR

12-16 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

16-18 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

18-20 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

20-24 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

EXAMINED

*R. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_ 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE TUESDAY 20 JAN, 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL
2-ELECTRONIC
3-VISUAL
4-D. R.

## REMARKS

00-04 MOORED PORT SIDE TO BERTH 2 U.S. NAVAL SHIPYARD, YOKOSUKA, JAPAN, USING SIX STANDARD MOORING LINES DOUBLED. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKO SET THROUGHOUT THE SHIP. STRAMINE MODIFIED MAIN WITH 1A AND 1B GENERATORS AND 1B BOILER ON THE LINE. SOPA IS COM MIN FLOT 1 EMBARKED USS CITYSKILL (MCS1). OTHER SHIPS PRESENT ARE VARIOUS SHIPS OF U.S. NAVY AND JAPANESE MARITIME SELF-DEFENSE FORCES.

*J. B. Ezell*  
J. B. EZELL, ENS, USNR

04-08 MOORED AS BEFORE.

*J. B. Ezell*  
J. B. EZELL, ENS, USNR

08-12 MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR.

12-16: MOORED AS BEFORE.

*C. Pautzke*  
C. PAUTZKE ENS USNR.

16-20: MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR.

20-24: MOORED AS BEFORE

*C. Pautzke*  
C. PAUTZKE ENS USNR.

EXAMINED

*Stimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9 I DATE WEDNESDAY 21 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35-17'0"N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

~~04-04~~: MOORED PORT SIDE TO BERTH 2, US NAVAL FLEETS, YOKOSUKA, JAPAN WITH SIX STANDARD MOORING LINES DOUBLED. CONDITION OF READINESS (I) AND MATERIAL CONDITION YOKE ARE SET. "1 B" BOILER AND "1A" AND "1B" GENERATORS ARE ON THE LINE. SOPA IS COMMINGFLOT ONE EMBARKED USS CATSKILL (MCS-1). SHIPS PRESENT INCLUDE VARIOUS UNITS OF US SEVENTH FLEET, JAPANESE MARITIME SELF DEFENSE FORCE AND VARIOUS SMALL CRAFT.

C. Paetzle

C. PAUTZKE ENS USNR

~~04-08~~: MOORED AS BEFORE

C. Paetzle

C. PAUTZKE ENS USNR

~~08-12~~ MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

~~12-16~~ MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

~~16-20~~ MOORED AS BEFORE

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

~~20-24~~ MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

EXAMINED

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS—CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE THURSDAY 22 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME	POSITION	ZONE	TIME	POSITION	ZONE	TIME	LEGEND: 1-CELESTIAL
0800			1200			2000			2-ELECTRONIC
L <u>35°-17.0'N</u> BY <u>3</u>			L <u>35°-17.0'N</u> BY <u>3</u>			L <u>35°-17.0'N</u> BY <u>3</u>			3-VISUAL
λ <u>139°-40.0'E</u> BY <u>3</u>			λ <u>139°-40.0'E</u> BY <u>3</u>			λ <u>139°-40.0'E</u> BY <u>3</u>			4-D. R.

REMARKS

00-04 MOORED PORT SIDE TO BERTH 2, US NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN WITH SIX STANDARD  
MOORING LINES, DOUBLED. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKE ARE SET. 1B  
BOILER AND 1A AND 1B GENERATORS ARE ON LINE. SOPA IS COMMINEFLOT 1 EMBARKED IN USS  
CATSKILL (MCS-1).

W.H. Schriever  
W.H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS, NO ABSENTEES.

W.H. Schriever  
W.H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE.

R.S. Evans  
R.S. EVANS, LTJG, USN

12-16 MOORED AS BEFORE.

R.S. Evans  
R.S. EVANS, LTJG, USN

16-20 MOORED AS BEFORE.

R.S. Evans  
R.S. EVANS, LTJG, USN

20-24 MOORED AS BEFORE.

R.S. Evans  
R.S. EVANS, LTJG, USN

EXAMINED

R. J. Ziemer U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION - 9 (I) DATE FRIDAY 23 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITIES YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

~~00-04~~ MOORED PORT SIDE TO BERTH TWO, US NAVAL FLEET  
ACTIVITIES WITH SIX (6) STANDARD MOORING LINES DOUBLED  
SOPA IS COMMINE FLOT ONE IN USS CATSKILL (MCS-1) CONDITION  
OF READINESS III AND MATERIAL CONDITION YOKE ARE SET.

*R. M. Howell*  
R. M. HOWELL  
LTJG USNR

~~04-08~~ MOORED AS BEFORE

*R. M. Howell*  
R. M. HOWELL LTJG USNR

~~08-12~~ MOORED AS BEFORE.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

~~12-16~~ MOORED AS BEFORE.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

~~16-20~~ MOORED AS BEFORE

*R. S. Evans*  
R. S. EVANS, LTJG, USN

~~20-24~~ MOORED AS BEFORE.

*R. S. Evans*  
R. S. EVANS, LTJG, USN

EXAMINED

*R. S. Evans*

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-34) ZONE DESCRIPTION -9I DATE SATURDAY 24 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

REMARKS

ΦΦΦ4 MOORED PORT SIDETO BERTH TWO, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN WITH STANDARD MOORING LINES. 2A BOILER, 2A AND 2B GENERATORS ARE PROVIDING AUXILIARY POWER. RECEIVING WATER FROM THE PIER. SOPA IS COMMINGLOT NINE ~~ONE~~ EMBARKED USS CATSKILL (MCS-1). SHIPS PRESENT INCLUDE MEMBERS OF THE US PACIFIC FLEET, JAPANESE MARITIME SELF DEFENSE FORCE, AND VARIOUS MERCHANTMEN.

*R. S. Evans*

R. S. EVANS, LTJG, USN

Φ9-Φ8 ~~MOORED~~ MOORED AS BEFORE.

*R. S. Evans*

R. S. EVANS, LTJG, USN

Φ8-12 MOORED AS BEFORE.

*James D. Moran*

JAMES D. MORAN LTJG USNR

12-16 MOORED AS BEFORE

*James D. Moran*

JAMES D. MORAN LTJG USNR

16-20 MOORED AS BEFORE.

*James D. Moran*

JAMES D. MORAN LTJG USNR

20-24 MOORED AS BEFORE

*James D. Moran*

JAMES D. MORAN LTJG USNR

EXAMINED

*R. S. Evans*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE SUNDAY 25 JANUARY 19 70  
 (Day) (Date) (Month)  
 AT/PASSAGE FROM U.S. NAVAL FLEET ACTIVITIES TO YOKOSUKA, JAPAN

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED Port side TO BERTH TWO U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA, JAPAN WITH SIX (6) STANDARD MOORING LINES DOUBLED. SORA IS COMMANDING OFFICER, USS RIXIE (AD-14). BUILER 13 AND GENERATORS 1A AND 1B ARE ON THE LINE. CONDITION YOKO IS SET THROUGHOUT THE SHIP. SHIPS PRESENT INCLUDE USNS SILAS BENT, RIXIE, OTHER UNITS OF THE PACIFIC FLEET PLUS VARIOUS UNITS OF THE JAPANESE MARITIME DEFENSE FORCE.

*James P. Moran*  
JAMES P. MORAN LTJG USNR

04-08 MOORED AS BEFORE

*James P. Moran*  
JAMES P. MORAN LTJG USNR

08-12 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

12-16 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

16-18 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

18-20 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

20-24 MOORED AS BEFORE

*J.B. Ezell*  
J.B. EZELL, ENS, USNR

EXAMINED

*D. J. Zimmer*

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_ . 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WHADDILL (DDG-24) ZONE DESCRIPTION -9I DATE MONDAY 26 JAN 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM USNS YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED PORT SIDE TO BERTH 2, U.S. NAVAL SHIPYARD, YOKOSUKA, JAPAN, USING SIX STANDARD MOORING LINES DOUBLED. CONDITION OF READINESS IV AND MATERIAL CONDITION YOKO SET THROUGHOUT THE SHIP. STEAMING MODIFIED MAIN WITH 1A AND 1B GENERATORS AND 1B BOILER ON THE LINE. SOPA IS COMMANDING OFFICER USS DIXIE, AD-14. OTHER SHIPS PRESENT ARE VARIOUS SHIPS OF U.S. NAVY AND JAPANESE MARITIME SELF-DEFENSE FORCES.

*J.B. Zell*  
J.B. ZELL, USNR, ENS

04-08 MOORED AS BEFORE.

*J.B. Zell*  
J.B. ZELL, ENS, USNR

08-12: MOORED AS BEFORE

*C. Pautzke*  
C.G. PAUTZKE ENS USNR

12-16: MOORED AS BEFORE

*C. Pautzke*  
C.G. PAUTZKE ENS USNR

16-20: MOORED AS BEFORE

*C. Pautzke*  
C.G. PAUTZKE ENS USNR

20-24: MOORED AS BEFORE

*C. Pautzke*  
C.G. PAUTZKE ENS USNR

EXAMINED

*Q. Zimmer*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPER 3100/2 (1-66)  
(Formerly NAVPER 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE TUESDAY 27 JANUARY 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL 2-ELECTRONIC 3-VISUAL 4-D. R.
--

REMARKS

00-04: MOORED PORT SIDE TO BERTH 2, US FLEETS, YOKOSUKA JAPAN. WITH SIX STANDARD  
MOORING LINES DROPPED. RECEIVED VARIOUS SERVICES FROM PIER. "1A" BELLER, 1A, 2B GENERATORS  
ON LINE. MATERIAL CONDITION YOKO AND CONDITION OF READINESS 10 ARE SET. SUPA  
12 CO USS DIXIE (AD-14). VARIOUS UNITS OF US SEVENTH FLT AND JAPANESE MARITIME  
SELF DEFENSE FORCE ARE PRESENT.

C. Pantzke

C. PAUTZKE ENS USN12

04-08: MOORED AS BEFORE.

C. Pantzke

C. PAUTZKE ENS USA12

08-12 MOORED AS BEFORE. 1000 COMMENCED CAPTAIN'S MAST. 1030 SECURED FROM CAPTAIN'S MAST.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

12-16 MOORED AS BEFORE.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

16-20 MOORED AS BEFORE

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

20-24 MOORED AS BEFORE

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

EXAMINED

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_ 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE WEDNESDAY 28 JANUARY, 19 70  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO \_\_\_\_\_

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>35°-17.0'N</u>	BY <u>3</u>	
λ <u>139°-40.0'E</u>	BY <u>3</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 MOORED WITH SIX STANDARD DOUBLED MOORING LINES PORT SIDE TO BERTH 2, YOKOSUKA NAVAL FLEET ACTIVITIES, JAPAN. SOPA IS C.O. USS DIXIE (AD-14), 1A BOILER AND 1A AND 2B GENERATORS ARE ON LINE. FRESH WATER FROM THE PIER. CONDITION OF READINESS ~~IX~~ AND MATERIAL CONDITION YOKE ARE SET.

*W.H. Schriever*  
W.H. SCHRIEVER, LTJG, USN

04-08 MOORED AS BEFORE

*W.H. Schriever*  
W.H. SCHRIEVER, LTJG, USN

08-12 MOORED AS BEFORE

*R.M. Howell*  
R. M. HOWELL, LTJG, USNR

12-16 MOORED AS BEFORE

*R.M. Howell*  
R. M. HOWELL, LTJG, USNR

16-20 MOORED AS BEFORE

*R.M. Howell*  
R. M. HOWELL, LTJG, USNR

20-24 MOORED AS BEFORE

*R.M. Howell*  
R. M. HOWELL, LTJG, USNR

EXAMINED

*R. M. Howell*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS \_\_\_\_\_

DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

EXAMINED:

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE THURSDAY 29 JANUARY 19 76  
(Day) (Date) (Month)  
AT/PASSAGE FROM YOKOSUKA, JAPAN TO BUCKNER BAY, OKINAWA

POSITION	ZONE	TIME
0800		
L <u>35°-17.0'N</u> BY <u>3</u>		
λ <u>139°-40.0'E</u> BY <u>3</u>		


POSITION	ZONE	TIME
1200		
L <u>34°-57.5'N</u> BY <u>3</u>		
λ <u>139°-42.0'E</u> BY <u>3</u>		

POSITION	ZONE	TIME
2000		
L <u>33°-48.1'N</u> BY <u>2</u>		
λ <u>138°-53.2'E</u> BY <u>2</u>		

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.


## REMARKS

~~00-04~~ MOORED PORT SIDE TO BERTH TWO, U.S. NAVAL FLEET ACTIVITIES, YOKOSUKA JAPAN WITH STANDARD MOORING LINES. 1A BOILER, 1A AND 1B GENERATORS ARE SUPPLYING AUXILIARY POWER. RECEIVING FRESH WATER FROM THE PIER. SOPA IS C.O. WADDELL. SHIPS PRESENT INCLUDE MEMBERS OF THE U.S. PACIFIC FLEET, JAPANESE MARITIME SELF DEFENSE FORCE AND VARIOUS MERCHANTMEN.



R.S. EVANS, LTJG, USN

~~04-08~~ MOORED AS BEFORE.




R.S. EVANS, LTJG, USN

~~08-12~~ MOORED AS BEFORE. ~~0949~~ WATCH SHIFTED TO THE BRIDGE. ~~0953~~ UNDERWAY MANEUVERING TO CONFORM TO YOKOSUKA HARBOR AND TOKYO BAY.




R.S. EVANS, LTJG, USN

12-16 UNDERWAY AS BEFORE 1404  $\frac{1}{2}$  155°(T)  $\frac{1}{2}$  15 KTS. 1441 COMMENCED MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING GUNNERY EXERCISE Z-23-G 1525 COMMENCED FIRING MOUNT 51




P.B. HATCH LTJG, USNR

16-18 UNDERWAY AS BEFORE, MANEUVERING AT VARIOUS COURSES AND SPEEDS DURING Z-23-G EXERCISE IN PROGRESS. 1627 CONCLUDED Z-23-G EXERCISE. 1628  $\frac{1}{2}$  260°  $\frac{1}{2}$  22 KTS.




W.H. SCHRIEVER, LTJG, USN

18-20 UNDERWAY AS BEFORE. 1753  $\frac{1}{2}$  242°. 1828  $\frac{1}{2}$  231°. 1851  $\frac{1}{2}$  215°. 1941  $\frac{1}{2}$  231°.



R.S. EVANS, LTJG, USN

EXAMINED



U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

DECK LOG—REMARKS SHEET


S/N-0105-404-1560

USS \_\_\_\_\_


DATE \_\_\_\_\_, 19\_\_\_\_  
(Day) (Date) (Month)

REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE

  
R. M. HOWELL LTJG USNR

EXAMINED:



U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL (DDG-24) ZONE DESCRIPTION -9I DATE FRIDAY 30 JAN 19 70  
 (Day) (Date) (Month)  
 AT/PASSAGE FROM YOKOSUKA, JAPAN TO SUBIC BAY, PHILIPPINES

POSITION	ZONE	TIME
0800		
L <u>31°-02.0'N</u>	BY <u>2</u>	
λ <u>134°-53.8'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
1200		
L <u>30°-13.2'N</u>	BY <u>2</u>	
λ <u>133°-33.2'E</u>	BY <u>2</u>	

POSITION	ZONE	TIME
2000		
L <u>28°-36.9'N</u>	BY <u>2</u>	
λ <u>131°-08.3'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

00-04 STEAMING INDEPENDENTLY IN ACCORDANCE WITH CONSEQUENT/ELT  
 QUARTERLY EMPLOYMENT SCHEDULE ENROUTE FROM YOKOSUKA, JAPAN  
 TO SUBIC BAY, PHILIPPINES. BASE COURSE IS 231°T AND BASE  
 SPEED IS 22 KNOTS. SOPA AND ARE OTC IS THE COMMANDING OFFICER #W  
 USS WADDELL (DDG-24). MATERIAL CONDITION YOKE AND CONDITION OF  
 READINESS IT ARE SET. THE SHIP IS DARKENED WITH THE EXCEPTION OF  
 NORMAL NAVIGATION LIGHTS. 1A AND 2B BOILERS AND 1A, 2A, 1B, 2B  
 SHIP'S SERVICE GENERATORS ARE ON THE LINE.

*R. L. Howell*  
 R. L. CROWELL LT USNR

04-08 UNDERWAY AS BEFORE

*P. B. Hatch*  
 P. B. HATCH LT(jg) USNR

08-12 UNDERWAY AS BEFORE. SEAS AND WIND ARE OFF THE PORT BEAM, SHIP ROLLING TO STBD. 0855  
 WILLIAMS, RANDY A., FA, B858838 SLIPPED ON WET DECK AND SUFFERED CONTUSION OF FIFTH METACARPAL  
 AND POSSIBLE FRACTURE OF RIGHT HAND. SPLINT APPLIED AND WILLIAMS RETURNED TO DUTY.

*W. H. Schriever*  
 W. H. SCHRIEVER, LTJG, USN

12-16 UNDERWAY AS BEFORE. 1500 WINDS AND SEAS SEAS SHIFTED  
 TO ONE POINT OFF THE STARBOARD BOW.

*R. S. Evans*  
 R. S. EVANS, LTJG, USN

16-18 UNDERWAY AS BEFORE 1732 1/2 20 KTS

*R. M. Howell*  
 R. M. HOWELL LTJG USNR

18-20 UNDERWAY AS BEFORE. B/C 231°T, B/S 20 KTS. 1810 C/C 255°T 1820  
 C/C 231°T. 1838 C/S 19 KTS

*R. L. Crowell*  
 R. L. CROWELL AT USNR

EXAMINED

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020



NAVPERS 3100/2 (1-66) (BACK)  
(Formerly NAVPERS 719)

# DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24

DATE FRIDAY 30 JAN. 19 70  
(Day) (Date) (Month)

## REMARKS-CONTINUED

20-24 UNDERWAY AS BEFORE. B/C 231 B/S 20 KTS 2010 C/S 19 KTS., 2014 C/S 18 KTS., 2019 C/S 19 KTS., 2032 C/S 17 KTS., 2037 C/S 20 KTS., 2100 C/S 250 C/S 12 KTS., 2105 C/S 270, 2143 C/S 220 C/S 20 KTS.

*P.B. Hatch*

P.B. HATCH LTJG USNR

EXAMINED:

*[Signature]*

U. S. N. NAVIGATOR



NAVPERS 3100/2 (1-66)  
(Formerly NAVPERS 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADDELL DDG-24 ZONE DESCRIPTION -9I DATE SATURDAY 31 JANUARY 19 78  
(Day) (Date) (Month)

AT/PASSAGE FROM YOKOSUKA, JAPAN TO BUCKNER BAY, OKINAWA.

POSITION	ZONE	TIME
0800		
L <u>26°-12.0'N</u>	BY <u>3</u>	
λ <u>127°-46.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
1200		
L <u>26°-12.0'N</u>	BY <u>3</u>	
λ <u>127°-46.0'E</u>	BY <u>3</u>	

POSITION	ZONE	TIME
2000		
L <u>26°-00.0'N</u>	BY <u>2</u>	
λ <u>127°-27.8'E</u>	BY <u>2</u>	

LEGEND: 1-CELESTIAL  
2-ELECTRONIC  
3-VISUAL  
4-D. R.

## REMARKS

0804 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY EMPLOYMENT SCHEDULE STEAMING INDEPENDENTLY ON COURSE 231 AT 20 KNOTS IN TRANSIT FROM YOKOSUKA, JAPAN TO OKINAWA. 1A AND 2B BOILERS AND ALL FOUR GENERATORS ARE ON LINE. SOPA AND OTC ARE COMMANDING OFFICER THIS SHIP. MATERIAL CONDITION YOK AND CONDITION OF READINESS IV ARE SET.

W.H. Schriever

W.H. SCHRIEVER, LTJG, USN

0808 UNDERWAY AS BEFORE.

R.S. Evans

R.S. EVANS, LTJG, USN

0812 UNDERWAY AS BEFORE ON COURSE 231° AT 20 KTS 0740 % 210° MAKING APPROACH TO BUCKNER BAY FOR FUELING STOP. 0740 SET SPECIAL SEA AND ANCHOR DETAIL. 0754 % 345° 0803 % 15 KTS. 0807 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAKE PIER 0819 PORTSIDE TO NAVY FUELING PIER BUCKNER BAY, OKINAWA 0917 COMMENCED TAKING ON FUEL. 1055 SECURED FROM FUELING. 1132 UNDERWAY IN ACCORDANCE WITH COMSEVENTHFLT QUARTERLY OPERATING SCHEDULE ENROUTE TO RENDEZVOUS AT 25°-40'N, 128°-20'E WITH USS POMODON FOR ASW EXERCISES. 1136 % 169° 1140 % 20 KTS

R.M. Howell

R. M. HOWELL LTJG USNR

12-16 UNDERWAY AS BEFORE. 1338 ~~RENDERED~~ EXECUTED ~~ALL~~ RENDEZVOUS WITH USS POMODON. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING 2-1-4 AND 2-6-4 ASW EXERCISES. BASE COURSE 225 SPEED 3.

R.L. Crowl

R.L. CROWL LT USNR

16-18 UNDERWAY AS BEFORE 1612 MANEUVERING VARIOUS COURSES AT VARIOUS SPEEDS WHILE CONDUCTING ASW EXERCISES 1640 COMMENCED TURN COUNT MASKING.

P.B. Hatch

P. B. HATCH LTJG USNR

EXAMINED

J. Zimmer

U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FSN 0105-904-1020



NAVPER 3100/2 (1-66) (BACK)  
(Formerly NAVPER 719)

## DECK LOG—REMARKS SHEET

S/N-0105-404-1560

USS WADSWORTH DDG-24DATE SAT 31 JAN 19 70  
(Day) (Date) (Month)

## REMARKS—CONTINUED

18-20 UNDERWAY AS BEFORE, MANEUVERING AT VARIOUS COURSES AND SPEEDS DURING ASW EXERCISES  
1830 SECURED ASW EXERCISES. 1833 % 20 KTS, % 287. 1900 RETARDED ALL CLOCKS ONE HOUR TO  
CONFORM TO -8H TIME ZONE. 1900 % 26. 1913 % 285. 1948 % 27.

W. H. Schriever

W. H. SCHRIEVER, LTJG, USN

20-24 UNDERWAY AS BEFORE.

R. S. Evans

R. S. EVANS, LTJG, USN

EXAMINED:

R. S. Evans

U. S. N. NAVIGATOR